



Be Bold.

Bold Connect

Enhance the functionality of your Bold Smart Lock by adding a Bold Connect. Safely activate the lock from any distance, or use it as a controller for your garage door when you arrive home.



MECHANICAL SPECIFICATIONS		COMMUNICATION	
PRODUCT DEFINITION	The Bold Connect enables your Bold Smart Lock to be permanently connected in order to manage and activate your locks from the app from anywhere. With a slim form factor, mounting options and a USB(C) interface for an external flexible power supply the Bold Connect can be easily installed anywhere, out of sight, or integrated into existing access control solutions.	BLUETOOTH 5.0 LONG RANGE	The communication between Bold Connect and a Bold Smart Lock is via Bluetooth 5.0 Long Range. This enables the Bold Connect to connect and communicate more easily with many Bold Smart Locks.
HOUSING	PC, PC/ABS, RoHS, REACH compliant	WIFI	The Bold Connect is connected through Wi-Fi in order to communicate with your telephone. Permanent Wi-Fi (802.11 b/g/n) internet connection required.
DIMENSIONS	68mm x 68mm x 23mm	DIGITAL SECURITY	<ul style="list-style-type: none"> • AES128 End-to-End Encryption • 2-Factor Authentication
WEIGHT	200 grams	API	HTTP-REST-API. Available on request
OPERATING TEMPERATURE	+10°C to 40°C (not intended for outdoor use)	SDK	Native iOS and Android (available on request)
POWER		MOBILE APPLICATION	
USB POWER	The Bold Connect is powered directly from a USB-C interface. The USB power adapter, a 1.2m cable and four different wall socket adapters (EU, UK, US, AU) are included.	IOS APP & ANDROID APP	App functionaliteiten: <ul style="list-style-type: none"> - Gebruikers beheren (direct delen / intrekken) - Shares voor gebruikers maken (permanent, wekelijks of tijdelijke toegang) - Backup-Pin-Code(s) instellen - De batterijstatus en andere slotinstellingen bekijken - Logboekregistratie van gebeurtenissen voor beheerders

Unlock a keyless life and connect to

- Multiple smart locks with one Bold Connect
- Insights of all lock activities, including PIN use
- Activations and battery level status
- Digital safety by end-to-end data encryption
- Trusted visitors thanks to two-factor user and device authentication
- The easiest set-up as available locks are automatically discovered





Bold Security Technology B.V.

Leidseveer 1
3511 SB Utrecht
The Netherlands



+31(0)85 060 7337



info@boldsmartlock.com



boldsmartlock.com